

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM

# LISTING SERVICE

**LISTING No.** 2280-1566:100

**CATEGORY:** Interior Coating Materials (Flame Spread)

**LISTEE:** Safe Encasement Systems, 7860 Dana Point Ct., Las Vegas, NV 89117  
Contact: John Thoburn (702) 360-6111 Fax (702) 360-6111

**DESIGN:** Type SE-110 primer and SE-120 topcoat water-based interior coating materials. Refer to listee's data sheet for additional detailed product description and operational considerations.

**RATING:** Flame Spread: 10  
Smoke Index: 15

**INSTALLATION:** In accordance with listee's printed installation instructions, NFPA 72, applicable codes & ordinances and in a manner acceptable to the authority having jurisdiction.

**MARKING:** Listee's name, model number, electrical rating and UL label.

**APPROVAL:** Listed as Class A coating materials when used on interior wall/ceiling surfaces to reduce flame spread when the coatings are applied at 10 mills wet each coating.

04-02-2001



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued: **JUNE 17, 2003**

*Listing Expires **June 30, 2004***

Authorized By: **DIANE K. AREND, Senior Deputy  
Program Manager**